



Safety Data Sheet BIRAL NMG - NO MELT GREASE

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name : BIRAL NMG - NO MELT GREASE
Product code : 52

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Use of the substance/mixture : Grease.

Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Name, address, and telephone number of the chemical manufacturer, distributor, importer, or other responsible party: Advantage Dist. & Lubricants, LLC
3434 Marion Road SE
Rochester, MN 55904
United States of America
www.advantagelubes.com
www.biral-usa.com

Phone number: +01 (800) 420-141 +01 (507) 289-555

E-mail address: info@advantagelubes.com

Emergency phone number: CHEMTREC: +1 (800) 424-9300 International: +01 (703) 527-3887

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

EUH-statements : EUH210 - Safety data sheet available on request

2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances

Not applicable

3.2. Mixtures

Comment : Note L : The classification as a carcinogen need not apply if it can be shown that the substance contains less than 3 % DMSO extract as measured by IP 346 'Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions — Dimethyl sulphoxide extraction refractive index method', Institute of Petroleum, London. This note applies only to certain complex oil-derived substances in Part 3.

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Distillates (petroleum), solvent-refined heavy paraffinic, Baseoil - unspecified, [A complex combination of hydrocarbons obtained as the raffinate from a solvent extraction process. It consists predominantly of saturated hydrocarbons having carbon numbers predominantly in the range of C20 through C50 and produces a finished oil with a viscosity of at least 100 SUS at 100 °F (19cSt at 40 °C).] (Note L)	(CAS-No.) 64741-88-4 (EC-No.) 265-090-8 (EC Index-No.) 649-454-00-7	60 - 100	Not classified
Silane, diklordimetyl	(CAS-No.) 68611-44-9 (EC-No.) 271-893-4 (REACH-no) N/A	5 - 10	Acute Tox. 4 (Inhalation), H332 Eye Irrit. 2, H319
polypropylenglykol	(CAS-No.) 25322-69-4 (EC-No.) 500-039-8 (REACH-no) 01-2119493630-37	< 5	Acute Tox. 4 (Oral), H302

Full text of H-statements: see section 16

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Assure fresh air breathing. Allow the victim to rest.
First-aid measures after skin contact	: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.
First-aid measures after eye contact	: Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

4.2. Most important symptoms and effects, both acute and delayed

No additional information available

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. In all cases of doubt, or when symptoms persist, seek medical attention.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable extinguishing media	: Foam. Dry powder. Carbon dioxide.
Unsuitable extinguishing media	: Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard	: Non flammable.
Explosion hazard	: Product is not explosive.
Hazardous decomposition products in case of fire	: Carbon oxides (CO, CO ₂).

5.3. Advice for firefighters

Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.
Protection during firefighting	: Do not enter fire area without proper personal protective equipment, including respiratory protection.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

General measures	: Concerning personal protective equipment to use, see section 8.
------------------	---

For non-emergency personnel

Emergency procedures	: Evacuate unnecessary personnel.
----------------------	-----------------------------------

For emergency responders

Protective equipment	: Equip cleanup crew with proper protection.
Emergency procedures	: Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

6.4. Reference to other sections

For further information refer to section 13. See Heading 8. Exposure controls and personal protection.

SECTION 7: HANDLING AND STORAGE**7.1. Precautions for safe handling**

Precautions for safe handling : Avoid contact with skin and eyes. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool. Keep container closed when not in use.
Maximum storage period : 1 year

7.3. Specific end use(s)

No additional data.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**8.1. Control parameters**

BIRAL NMG - NO MELT GREASE		
United Kingdom	Local name	Oil mist
United Kingdom	WEL TWA (mg/m ³)	1 mg/m ³

8.2. Exposure controls

Appropriate engineering controls : Ensure that there is a suitable ventilation system. Emergency eye wash fountains should be available in the immediate vicinity of any potential exposure.

Personal protective equipment : Gloves. Avoid all unnecessary exposure.

Hand protection : Wear protective gloves. Nitrile rubber gloves. Polyvinylalcohol (PVA). Layer thickness : 0,2 - 0,4 mm. Breakthrough time : 8 (> 480 minutes). EN 374

Eye protection : Use splash goggles when eye contact due to splashing is possible. EN 166

Respiratory protection : Where exposure through inhalation may occur from use, respiratory protection equipment is recommended. Extra personal protection: A/P2 filter respirator for organic vapour and harmful dust. Standard EN 141. EN 140. EN 405



Other information : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Personal protective equipment should be chosen according to the CEN standards and in discussion with the supplier of the protective equipment. Do not eat, drink or smoke during use.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**9.1. Information on basic physical and chemical properties**

Physical state : Liquid
Appearance : Grease.
Colour : Tan.
Odour : Oily.
Odour threshold : Not determined
pH : Not determined
Relative evaporation rate (butylacetate=1) : Not determined
Melting point : Not determined
Freezing point : Not determined
Boiling point : Not determined
Flash point : > 280 °C
Auto-ignition temperature : Not determined
Decomposition temperature : Not determined
Flammability (solid, gas) : Non flammable

Vapour pressure	: Not determined
Relative vapour density at 20 °C	: Not determined
Relative density	: 1 g/cm ³
Solubility	: insoluble in water. soluble in most organic solvents.
Log Pow	: Not determined
Viscosity, kinematic	: Not determined
Viscosity, dynamic	: Not determined
Explosive properties	: Not explosive.
Oxidising properties	: Non flammable.
Explosive limits	: Not determined

9.2. Other information

No additional information available

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

No additional information available

10.2. Chemical stability

Stable when used at recommended storage and handling conditions.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5. Incompatible materials

oxidizing materials.

10.6. Hazardous decomposition products

Thermal decomposition may produce : fume. Carbon monoxide. Carbon dioxide.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Acute toxicity : Not classified

polypropylenglykol (25322-69-4)	
LD50 oral rat	> 500 mg/kg
LD50 dermal rat	> 2000

Skin corrosion/irritation	: Not classified Repeated exposure may cause skin dryness or cracking Based on available data, the classification criteria are not met pH: Not determined
Serious eye damage/irritation	: Not classified Liquid splashes in the eye may cause irritation. Based on available data, the classification criteria are not met pH: Not determined
Respiratory or skin sensitisation	: Not classified Based on available data, the classification criteria are not met
Germ cell mutagenicity	: Not classified Based on available data, the classification criteria are not met
Carcinogenicity	: Not classified Based on available data, the classification criteria are not met
Reproductive toxicity	: Not classified Based on available data, the classification criteria are not met
STOT-single exposure	: Not classified Based on available data, the classification criteria are not met
STOT-repeated exposure	: Not classified Based on available data, the classification criteria are not met
Aspiration hazard	: Not classified Based on available data, the classification criteria are not met

Potential adverse human health effects and symptoms : Based on available data, the classification criteria are not met.

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

polypropylenglykol (25322-69-4)	
LC50 fish 1	> 100 mg/l <i>Poecilia reticulata</i> (Guppy)
EC50 <i>Daphnia</i> 1	> 100 <i>Daphnia magna</i> , 48 hours
IC50 algae	100 mg/l 72 hours - <i>Scenedesmus subspicatus</i>

12.2. Persistence and degradability

BIRAL NMG - NO MELT GREASE	
Persistence and degradability	Not established.
polypropylenglykol (25322-69-4)	
Persistence and degradability	Readily biodegradable.

12.3. Bioaccumulative potential

BIRAL NMG - NO MELT GREASE	
Log Pow	Not determined
Bioaccumulative potential	Not established.

12.4. Mobility in soil

BIRAL NMG - NO MELT GREASE	
Ecology - soil	insoluble in water.

12.5. Results of PBT and vPvB assessment

BIRAL NMG - NO MELT GREASE	
This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII	
This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	

12.6. Other adverse effects

Additional information : Avoid release to the environment

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Regional legislation (waste) : Dispose as hazardous waste.
 Waste treatment methods : Do not discharge into drains.
 Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.
 Ecology - waste materials : Avoid release to the environment.
 European List of Waste (LoW) code : 13 02 05* - mineral-based non-chlorinated engine, gear and lubricating oils

SECTION 14: TRANSPORT INFORMATION

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number	
Not regulated for transport	
14.2. UN proper shipping name	
14.3. Transport hazard class(es)	
14.4. Packing group	
14.5. Environmental hazards	
No supplementary information available	

14.6. Special precautions for user

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: REGULATORY INFORMATION**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU-Regulations**

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

National regulations

EC-regulation 2015/830 /EC, 1907/2006/EC (REACH), 1272/2008/EC (CLP), 790/2009/EC. Transport of dangerous goods (ADR/RID, IMDG, IATA/ICAO). Workplace exposure limits.

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: OTHER INFORMATION

Data sources	: EC-regulation 2015/830 /EC, 1907/2006/EC (REACH), 1272/2008/EC (CLP), 790/2009/EC. Transport of dangerous goods (ADR/RID, IMDG, IATA/ICAO). Workplace exposure limits.
Other information	: None.
Date of issue	: 04/04/2008
Revision date	: 30/05/2017
Supersedes	: 15/12/2014
Version	: 11.0
Signature	: A. Åsebø Murel

Full text of H- and EUH-statements:

Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
H302	Harmful if swallowed
H319	Causes serious eye irritation
H332	Harmful if inhaled
EUH210	Safety data sheet available on request

The information in this safety data sheet is based on information from the manufacturer/supplier, present european and national legislation, and presupposes that the product is used within the specified area of application.