SAFETY DATA SHEET

Revision date 03/19/2024

| 1. Identification | | |
|--|--------------------------|--|
| Product identifier | | |
| Product Name | Evap Oil | |
| Other means of identification | | |
| Safety data sheet number | 04754 | |
| Product Code(s) | F0524-060, F0524-062 | |
| Synonyms | None | |
| Recommended use of the chemical and restrictions on use | | |
| Recommended use | No information available | |
| Restrictions on use | No information available | |
| Details of the supplier of the safety data sheet | | |
| Manufacturer Address Lubriplate Lubricants Company Heado 129 Lockwood St. Newark, NJ 07105 Midwest Office & Plant 1500 Oakdale Ave. Toledo, OH 43605 419-691-2491 | juarters | |

Emergency telephone number

Emergency Telephone

Chem-Tel 1-800-255 3924 (US & Canada only) 01-813-248-0585 (Outside US & Canada)

2. Hazard(s) identification

Classification


419-693-3806

| Skin corrosion/irritation | Category 2 |
|--|-------------|
| Serious eye damage/eye irritation | Category 2A |
| Specific target organ toxicity (single exposure) | Category 3 |
| Aspiration hazard | Category 1 |
| Flammable liquids | Category 3 |

Hazards not otherwise classified (HNOC)

Not applicable

Revision Number 3



Wash contaminated clothing before reuse IF INHALED: Remove person to fresh air and keep comfortable for breathing

Call a POISON CENTER or doctor if you feel unwell

IF SWALLOWED: Immediately call a POISON CENTER or doctor

Do NOT induce vomiting In case of fire: Use CO2, dry chemical, or foam to extinguish

Precautionary Statements - Storage

Store locked up Store in a well-ventilated place. Keep container tightly closed

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other information

May be harmful in contact with skin. Toxic to aquatic life with long lasting effects.

3. Composition/information on ingredients

Substance

Not applicable.

Mixture

| Chemical name | CAS No. | Weight-% | Trade secret |
|---|------------|------------|--------------|
| Naphtha (petroleum), hydrotreated heavy | 64742-48-9 | 30 - <60 % | * |
| Naphtha (petroleum), heavy alkylate | 64741-65-7 | 30 - <60 % | * |

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. First-aid measures

Description of first aid measures

| General advice | Show this safety data sheet to the doctor in attendance. Immediate medical attention is required. | |
|--|--|--|
| Inhalation | Remove to fresh air. Aspiration into lungs can produce severe lung damage. If breathing has stopped, give artificial respiration. Get medical attention immediately. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. If breathing is difficult, (trained personnel should) give oxygen. Get immediate medical attention. Delayed pulmonary edema may occur. | |
| Eye contact | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists. | |
| Skin contact | Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Get medical attention if irritation develops and persists. | |
| Ingestion | Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious person. ASPIRATION HAZARD IF SWALLOWED - CAN ENTER LUNGS AND CAUSE DAMAGE. If vomiting occurs spontaneously, keep head below hips to prevent aspiration. Get immediate medical attention. | |
| Self-protection of the first aider | Remove all sources of ignition. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Use personal protective equipment as required. See section 8 for more information. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Avoid contact with skin, eyes or clothing. | |
| Most important symptoms and effects, both acute and delayed | | |
| Symptoms | Difficulty in breathing. Coughing and/ or wheezing. Dizziness. May cause redness and tearing of the eyes. Burning sensation. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting. | |
| Indication of any immediate medical attention and special treatment needed | | |
| Note to physicians | Because of the danger of aspiration, emesis or gastric lavage should not be employed unless the risk is justified by the presence of additional toxic substances. | |
| | | |

| 5. Fire-fighting measures | |
|--|--|
| Suitable Extinguishing Media Large Fire | Dry chemical. Carbon dioxide (CO2). Water spray. Alcohol resistant foam. CAUTION: Use of water spray when fighting fire may be inefficient. |
| Unsuitable extinguishing media | Do not scatter spilled material with high pressure water streams. |

| Specific hazards arising from the chemical | Risk of ignition. Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. |
|--|---|
| Explosion data Sensitivity to mechanical impac | t None. |
| Sensitivity to static discharge | Yes. |
| Special protective equipment and precautions for fire-fighters | Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment. |

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

| Personal precautions | Evacuate personnel to safe areas. Use personal protective equipment as required. See section 8 for more information. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Do not touch or walk through spilled material. | |
|--|--|--|
| Other information | Ventilate the area. Refer to protective measures listed in Sections 7 and 8. | |
| Methods and material for containment and cleaning up | | |
| Methods for containment | Stop leak if you can do it without risk. Do not touch or walk through spilled material. A vapor suppressing foam may be used to reduce vapors. Dike far ahead of spill to collect runoff water. Keep out of drains, sewers, ditches and waterways. Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. | |
| Methods for cleaning up | Take precautionary measures against static discharges. Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers. | |

7. Handling and storage

Precautions for safe handling

Advice on safe handling Use personal protection equipment. Avoid breathing vapors or mists. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use grounding and bonding connection when transferring this material to prevent static discharge, fire or explosion. Use with local exhaust ventilation. Use spark-proof tools and explosion-proof equipment. Keep in an area equipped with sprinklers. Use according to package label instructions. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse. In case of insufficient ventilation, wear suitable respiratory equipment.

Conditions for safe storage, including any incompatibilities

Storage ConditionsKeep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat,
sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static
electricity). Keep in properly labeled containers. Do not store near combustible materials.
Keep in an area equipped with sprinklers. Store in accordance with the particular national
regulations. Store in accordance with local regulations. Store locked up. Keep out of the
reach of children. Store away from other materials.

8. Exposure controls/personal protection

Control parameters

| Exposure Limits | This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies. | |
|---|---|--|
| Appropriate engineering controls | | |
| Engineering controls | Showers Eyewash stations Ventilation systems. | |
| Individual protection measures, such as personal protective equipment | | |
| Eye/face protection | Tight sealing safety goggles. | |
| Hand protection | Wear suitable gloves. Impervious gloves. | |
| Skin and body protection | Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron. Antistatic boots. | |
| Respiratory protection | No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required. | |
| General hygiene considerations | Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Wear suitable gloves and eye/face protection. Avoid contact with skin, eyes or clothing. | |

9. Physical and chemical properties

| Information on basic physical and of Physical state Appearance Color Odor Odor Odor threshold | <u>chemical properties</u> Liquid Liquid Colourless; Water-white Mild No information available | |
|---|---|----------------------------|
| Property_ | Values | Remarks • Method |
| pH | No data available | None known |
| Melting point / freezing point | No data available | None known |
| Initial boiling point and boiling rang | e 171 - 204 °C / 339.8 - 399.2 | 171-204°C/340-399°F |
| | °F | |
| Flash point | > 54 °C / 129.2 °F | None known |
| Evaporation rate | No data available | < 0.01 (butyl acetate = 1) |
| Flammability | No data available | None known |
| Flammability Limit in Air | | None known |
| Upper flammability or explosive | No data available | |
| limits | | |
| Lower flammability or explosive | No data available | |
| limits | | |
| Vapor pressure | <0.0013 kPa @ 25°C | None known |
| | | |

| Relative vapor density Relative density Water solubility Solubility(ies) Partition coefficient Autoignition temperature Decomposition temperature Kinematic viscosity Dynamic viscosity | > 5 0.76 No data available Insoluble in water No data available No data available No data available 1.5 cSt @ 40°C No data available | None known None known None known None known None known None known None known |
|---|--|--|
| Other information Explosive properties Oxidizing properties Softening point Molecular weight VOC content Liquid Density Bulk density | No information available No information available No information available No information available No information available No information available | |

10. Stability and reactivity

| Reactivity | No information available. |
|------------------------------------|--|
| Chemical stability | Stable under normal conditions. |
| Possibility of hazardous reactions | None under normal processing. |
| Conditions to avoid | Heat, flames and sparks. |
| Incompatible materials | Strong acids. Strong bases. Strong oxidizing agents. |
| | |

Hazardous decomposition products None known based on information supplied.

11. Toxicological information

Information on likely routes of exposure

Product Information

| Inhalation | Specific test data for the substance or mixture is not available. Aspiration into lungs can produce severe lung damage. May cause pulmonary edema. Pulmonary edema can be fatal. May cause irritation of respiratory tract. May cause drowsiness or dizziness. | |
|--|--|--|
| Eye contact | Specific test data for the substance or mixture is not available. May cause irritation. Causes serious eye irritation. (based on components). May cause redness, itching, and pain. | |
| Skin contact | Repeated exposure may cause skin dryness or cracking. Specific test data for the substance or mixture is not available. Causes skin irritation. (based on components). | |
| Ingestion | Specific test data for the substance or mixture is not available. Potential for aspiration if swallowed. May cause lung damage if swallowed. Aspiration may cause pulmonary edema and pneumonitis. May be fatal if swallowed and enters airways. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. | |
| Symptoms related to the physical, chemical and toxicological characteristics | | |
| Symptoms | Difficulty in breathing. Coughing and/ or wheezing. Dizziness. Redness. May cause redness and tearing of the eyes. Inhalation of high vapor concentrations may cause symptoms like | |

headache, dizziness, tiredness, nausea and vomiting.

Acute toxicity

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document

| ATEmix (oral) | 6,461.50 mg/kg |
|-------------------------------|----------------|
| ATEmix (dermal) | 2,857.10 mg/kg |
| ATEmix (inhalation-gas) | 99,999.00 ppm |
| ATEmix (inhalation-dust/mist) | 99,999.00 mg/l |
| ATEmix (inhalation-vapor) | 99,999.00 mg/l |
| | |

Component Information

| Chemical name | Oral LD50 | Dermal LD50 | Inhalation LC50 | |
|--|--------------------|-----------------------|-----------------------|--|
| Naphtha (petroleum), hydrotreated heavy 64742-48-9 | > 6000 mg/kg (Rat) | > 5000 mg/kg (Rabbit) | > 8500 mg/m³ (Rat)4 h | |
| Naphtha (petroleum), heavy alkylate 64741-65-7 | > 7000 mg/kg (Rat) | > 2000 mg/kg (Rabbit) | > 5.04 mg/L (Rat)4 h | |

Delayed and immediate effects as well as chronic effects from short and long-term exposure

| Skin corrosion/irritation | Classification based on data available for ingredients. Causes skin irritation. |
|-----------------------------------|--|
| Serious eye damage/eye irritation | Classification based on data available for ingredients. Causes serious eye irritation. |
| Respiratory or skin sensitization | No information available. |
| Germ cell mutagenicity | No information available. |
| Carcinogenicity | No information available. |
| Reproductive toxicity | No information available. |
| STOT - single exposure | May cause drowsiness or dizziness. |
| STOT - repeated exposure | No information available. |
| Aspiration hazard | May be fatal if swallowed and enters airways. |
| Other adverse effects | No information available. |
| Interactive effects | No information available. |
| | |

12. Ecological information

Ecotoxicity

Toxic to aquatic life with long lasting effects.

| Chemical name | Algae/aquatic plants | Fish | Toxicity to microorganisms | Crustacea |
|--|---|---|-------------------------------|---|
| Naphtha (petroleum), hydrotreated heavy 64742-48-9 | - | LC50: =2200mg/L (96h, Pimephales promelas) | - | - |
| Naphtha (petroleum), heavy alkylate 64741-65-7 | EC50: =30000mg/L (72h, Pseudokirchneriella subcapitata) | - | - | LC50: =2mg/L (48h, Mysidopsis bahia) |

Persistence and degradability No information available.

- **Bioaccumulation** There is no data for this product.
- Other adverse effects No information available.

| 13. Disposal considerations | | | |
|--|--|--|--|
| Disposal methods | | | |
| Waste from residues/unused products | Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation. | | |
| Contaminated packaging | Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld containers. | | |

14. Transport information

| DOT Notes DOT Marine Pollutant | Not regulated The flash point for this material is greater than 100 F (38 C). Therefore, in accordance with 49 CFR 173.150(f) non-bulk containers (<450L or <119 gallon capacity) of this material may be shipped as non-regulated when transported solely by land, as long as the material is not a hazardous waste, a marine pollutant, or specifically listed as a hazardous substance. M |
|---|--|
| <u>IATA</u> UN number or ID number UN proper shipping name Transport hazard class(es) Packing group | Not regulated UN1268 PETROLEUM DISTILLATES, N.O.S Marine pollutant (Naphtha (petroleum), hydrotreated heavy) 3 III |
| IMDG UN number or ID number UN proper shipping name Transport hazard class(es) Packing group EmS-No. Marine pollutant | Not regulated UN1268 PETROLEUM DISTILLATES, N.O.S Marine pollutant (Naphtha (petroleum), hydrotreated heavy) 3 III F-E, S-E Yes |
| Transport Label | |



15. Regulatory information

International Inventories

TSCA

Complies.

| Complies. |
|-----------|
| Complies. |
| |

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AIIC - Australian Inventory of Industrial Chemicals

NZIOC - New Zealand Inventory of Chemicals

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

This product does not contain any substances regulated under applicable state right-to-know regulations

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

| 16. Other information | | | | | | |
|---|---|---|---|--|--|--|
| NFPA <u>HMIS</u> Chronic Hazard Star L | Health hazards 2 Health hazards 2 * egend *= Chronic F | Flammability 2 Flammability 2 Jealth Hazard | | ability 0 sical hazards | | Special hazards - Personal protection X |
| Legend Section 8 TWA | bbreviations and acronyms u Exposure controls/personal FWA (time-weighted average) Maximum limit value | | EL | STEL (Short Skin designa | | Exposure Limit) |
| Agency for Toxic Su U.S. Environmental European Food Safe Environmental Prote Acute Exposure Gui U.S. Environmental Food Research Jour Hazardous Substand International Uniform National Institute of Australia National Ins NIOSH (National Ins National Library of M National Library of M U.S. National Toxico New Zealand's Cher Organization for Eco | action Agency deline Level(s) (AEGL(s)) Protection Agency Federal Inse Protection Agency High Product nal ce Database in Chemical Information Databa Technology and Evaluation (NI dustrial Chemicals Notification titute for Occupational Safety a Medicine's ChemID Plus (NLM (Medicine's PubMed database (N Mology Program (NTP) mical Classification and Information nomic Co-operation and Development Co-operation and Development for Co-operation and Development Co-operation Co-o | r (ATSDR) Database ecticide, Fungicide ction Volume Cher se (IUCLID) TE) and Assessment ind Health) CIP) ILM PUBMED) ation Database (C opment Environm opment High Proc | e, and Rodentic nicals Scheme (NICN CID) ent, Health, and duction Volume | IAS) d Safety Public chemicals Pro | | |
| Revision date Revision Note | 03/19/2024 No informat | ion available. | | | | |

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet